



Anti Vibration / Rubber Buffer

Material: Rubber: NR, NBR, SBR, CR

Metal: Zinc plated, stainless steel

Hardness: 35ShA - 85ShA

Color: Black mostly; Customized colors are available

Applications

- Cooling systems
- Electrical enclosures / electronics equipment
- Suspension systems
- Transmissions / gearboxes
- Steering linkages
- Torque / drive couplings
- Measurement equipment
- Small machinery
- Pumps
- HVAC Unit
- Chassis to body excitation
- Cab mounting
- Engines
- Fuel systems / fuel tanks
- Exhaust systems
- Pipe work
- Instruments
- Radiators
- Compressors





Rubber Dock Bumper

Material: Rubber: NR, SBR, EPDM,

Color: Black mostly, customized colors are available.

Application: Truck, Industry, Construction, Dock protection

Certification: ISO9001: 2015, RoHS,

Standard: According to your drawings or samples.

Services: Customized logo is available.





Rubber Bellow

Material: NR, CR, NBR, Silicone, Viton, EPDM

Hardness: 30ShA - 90ShA

Color: Black mostly, Customized colors are available

Property: High/low temperature resistance, oil and fuel resistance, water resistance, weathering resistance, Ozone resistance etc.

Application: Automotive, Industrial, Agricultural etc.

Certification: ISO9001: 2015, RoHS,

Standard: According to your drawings or samples.

Packing: Plastic bag & carton box or according to your requirements.





Rubber Bent Hose

Material: Silicone, NBR, EPDM, CR

Working temperature: -70 ~ 300 °C

Support Pressure: 0.3 to 0.9MPa

Bursting Pressure: 2Mpa

Hardness: 35~80 shore A

Thickness: 2mm ~ 6mm

Diameter Range: 10mm~120mm

Color : blue/black/red ,at your request

Reinforcement: 1~5layers of polyester or nomex

Application: Engine Air Supply, Crankshaft& Camshaft, Engine Cooling System





Rubber Diaphragm

Material: NR, NBR/Nitrile rubber, CR/neoprene rubber, EPDM, Silicone, Viton/FKM and etc.

Hardness: 30-90 Shore A

Color: Black mostly

Advantages: Positive Seal, No Lubrication, No Breakaway Force, No Friction, High Strength, Tear Resistant

Application: automotive, machinery, Control devices, Meters, Regulators, Pumps

Certification: ISO9001: 2015, UL

Standard: According to your drawings or samples.

Packing: Plastic bag & carton box or according to your requirements.





Rubber Grommet/Rubber Gasket

Material: NR, CR, NBR, Silicone, Viton, EPDM

Hardness: 30ShA - 90ShA

Color: Black mostly, Customized colors are available


Property: High/low temperature resistance, oil and fuel resistance, water resistance, weathering resistance, Ozone resistance etc.

Application: Automotive, Industrial, Agricultural etc.

Certification: ISO9001: 2015, RoHS

Standard: According to your drawings or samples.

Packing: Plastic bag & carton box or according to your requirements.





Silicone Moulding Parts

Material: Silicone, FDA Silicone

Hardness: 30ShA-90ShA

Color: all colors are available

Property: High and low temperature stability, Inertness, that is no taste or smell, Chemical resistance, Weatherability, Sealing performance, Electrical properties, Compression set resistance

Application: Medical equipment, Food industry, Electrical industry





Mud flaps

Mud flaps are rubber mats which are fixed directly behind the wheels of cars, trucks and other vehicles. Also known as mud guards or splash guards, mud flaps are a great and a useful feature to have on your pickup truck, SUV, and even your car or your scooter. They are not only the standard accessories for passenger vehicles, but also for all commercial trucks. They are used as safety features on the road. Heavy-duty mud flaps are made from durable polymer materials.

Color: Black mostly, Customized colors are available.

Certification: ISO9001: 2015, RoHS,

Standard: According to your drawings or samples.

Services: A customized mudflap, with your corporate logo/trademark and name, is available.





O-Ring/Oil Seal

Material: NR, CR, NBR, Silicone, Viton, EPDM, TPE

Hardness: 30ShA - 90ShA

Color: Black mostly, Customized colors are available


Property: High/low temperature resistance, oil and fuel resistance, water resistance, weathering resistance, Ozone resistance etc.

Application: Automotive, Industrial, Agricultural etc.

Certification: ISO9001: 2015, RoHS,

Standard: According to your drawings or samples.

Packing: Plastic bag&carton box or according to your requirements.





Roter Less Cure Meter



Low Temperature Tester



Tensile Strength



Caliper



Density Tester



Sheet-Punching Machine





Dispersion Mixer



Open Mixer



Vulcanizing Machine



Rubber bellow Production



Rubber Strip Production



Mud-flap Production



Package



Carton Box Package



Sealing



Packaging



Finish Packaging



Send to Port



Loading

